

WHAT MEDICATIONS SHOULD I TAKE FOR MY SURGERY?

| 1. <u>ANTIBIOTICS</u> (START ONE DAY BEFORE SURGERY) – TAKE AS DIRECTED ON BOTTLE. | ANTIBIOTICS |
|--|--|
| 2. <u>NSAIDS</u> (i.e., Ibuprofen) – EVERY 6-8 HOURS AS NEEDED. | Motring Suprofer Supr |
| 3. HALCION (TRIAZOLAM) – ORAL SEDATIVE. TAKE 1 PILL THE NIGHT BEFORE SURGERY, TO HELP YOU GET A GOOD NIGHT'S REST AND 1 PILL AN HOUR BEFORE YOUR PROCEDURE. AN ESCORT IS REQUIRED, DO NOT DRIVE! | 0.25 |
| 4. <u>PERIOGARD (CHLORHEXIDINE)</u> – ANTI-BACTERIAL RINSE, TO BE USED THE DAY AFTER PROCEDURE (AS DIRECTED ON THE BOTTLE). | Service III |
| 5. ZYRTEC-D (Over-the-Counter) – TAKE AS DIRECTED. START 3 DAYS PRIOR TO SURGERY. | Dissolve files |
| 6. <u>CLARITIN-D</u> (Over-the-Counter) – TAKE AS DIRECTED. START 3 DAYS PRIOR TO SURGERY. | Clarifor-D pander sey object to style to the sey object to style to the sey object to style to the sey object to style |
| 7. MEDEROL-DOSE PACK - (SEE PICTURE FOR PREVIEW OF PACKAGE INSERT, WHICH PROVIDES DIRECTIONS FOR USE). START DAY OF SURGERY. | The state of the s |

QUESTIONS? CALL US:

LIVONIA OFFICE: (734) 522-7313 PLYMOUTH OFFICE: (734) 459-4077